

SWSOFT™

PLESK™

SWsoft, Inc.

Plesk 8.1 for Windows

E-Mail User's Guide

(Revision 1.1)



SWSOFT™

(c) 1999-2006

ISBN: N/A
SWsoft, Inc.
13755 Sunrise Valley Drive
Suite 325
Herndon
VA 20171 USA
Phone: +1 (703) 815 5670
Fax: +1 (703) 815 5675

Copyright © 1999-2006 by SWsoft, Inc. All rights reserved
Distribution of this work or derivative of this work in any form is prohibited unless prior written permission is
obtained from the copyright holder.
MS Windows, Windows 2003 Server, Windows XP, Windows 2000, Windows NT, Windows 98, and Windows 95
are registered trademarks of Microsoft Corporation.

Contents

Preface	5
Documentation Conventions.....	5
Typographical Conventions.....	5
Feedback.....	6
About This Guide	6
Getting Started	7
Logging in to Your Control Panel	8
Becoming Familiar with Your Control Panel	8
Setting Your Control Panel Language and Theme	10
Changing Your Password	11
If You Forgot Your Password.....	11
Setting Up a Mailbox	12
Removing the Mailbox Service	13
Protecting Your Mailbox from Spam	14
Switching on Spam Filter	15
Configuring the Spam Filter	15
Improving Accuracy of Spam Detection	17
Switching off Spam Filter.....	17
Protecting Your Mailbox from Viruses	18
Setting Up Your E-mail Program for Retrieving Mail from Your Mailbox	19
Accessing Your Mail from a Web Browser	21
Setting Up an E-mail Forwarder	22
Using a Forwarder together with Your Mailbox.....	22
Turning Your Mail Account into a Mail Forwarder without Mailbox.....	23
Switching off Mail Forwarding	23
Setting Up a Mailing List	24

Subscribing Users to Your Mailing List24
Unsubscribing Users from Your Mailing List25
Switching off the Mailing List Service25

Setting Up an Automatic Reply 26

Switching off Automatic Reply28
Deleting an Automatic Reply Template That You No Longer Need.....28

Monitoring Connections to Your Control Panel 29

Using Help Desk to Request Assistance From Your Provider 30

Submitting a Problem Report to Your Provider.....30
Posting a Comment to Your Problem Report30
Closing the Ticket When Your Problem is Resolved31

CHAPTER 1

Preface

In This Chapter

Documentation Conventions.....	5
Typographical Conventions	5
Feedback	6

Documentation Conventions

Before you start using this guide, it is important to understand the documentation conventions used in it.

Typographical Conventions

The following kinds of formatting in the text identify special information.

Formatting convention	Type of Information	Example
Special Bold	Items you must select, such as menu options, command buttons, or items in a list.	Go to the QoS tab.
	Titles of chapters, sections, and subsections.	Read the Basic Administration chapter.
<i>Italics</i>	Used to emphasize the importance of a point, to introduce a term or to designate a command line placeholder, which is to be replaced with a real name or value.	These are the so-called <i>shared VPSs</i> . <code>msiexec /i <name of the aforementioned *.msi file or GUID></code>
Monospace	The names of commands, files, and directories.	Install Plesk into the "c:\plesk bin" directory
Preformatted	On-screen computer output in your command-line sessions; logs; source code in XML, C++, or other programming languages.	05:31:49 Success. Admin John Smith was added.

Feedback

If you spot a typo in this guide, or if you have thought of a way to make this guide better, we would love to hear from you!

If you have a suggestion for improving the documentation (or any other relevant comments), try to be as specific as possible when formulating it. If you have found an error, please include the chapter/section/subsection name and some of the surrounding text so that we could find it easily.

About This Guide

Please submit a report by e-mail to userdocs@swsoft.com.

This guide is intended for users of e-mail hosting service who were given access to Plesk control panel for managing their mail accounts.

CHAPTER 2

Getting Started

In This Chapter

Logging in to Your Control Panel.....	8
Becoming Familiar with Your Control Panel	8
Setting Your Control Panel Language and Theme.....	10
Changing Your Password.....	11
If You Forgot Your Password	11

Logging in to Your Control Panel

To log in to your Plesk control panel:

- 1 Open your web browser, and type the URL your provider gave you into the address bar.
- 2 Press ENTER.
Plesk login screen will open.
- 3 Type your e-mail address into the **Login** box, and type the password your provider gave you into the **Password** box.
- 4 If you log in for the first time, select the language for your control panel from the **Interface language** drop-down list.
If you had previously specified the interface language and saved it in your interface preferences, leave the **User default** value selected.
- 5 Click **Log in**.
Your Home page will open giving access to the administrative functions available for your e-mail account.

Becoming Familiar with Your Control Panel

This section describes the items located on your Home page and gives an overview of the operations you can perform on your mail account and services you can subscribe to. When you need to perform a specific operation, we suggest that you refer to the table of contents to quickly find the instructions you need.

You can do the following with your mail account:

- Use it as a standard mailbox, protect it against spam and viruses, and send/receive mail through a mail client program installed on your computer (via SMTP, POP3, and IMAP protocols), and access your mail through a Web interface.
- Use it as a mail forwarder to one or several recipients.
- Use a vacation notice when you are away and will not be able to check your mail.
- Use a number of automatic responses that will activate under certain conditions.
- Use any combination of mail services, for example, have a mailbox that will keep your mail and forward the message copies to other addresses.

Now let's take a look at your Home page.




Figure 1: E-mail user interface

The navigation pane is located on the left. It contains the following shortcuts:

- **Home.** Click this shortcut to get to the main screen from which your control panel session starts.
- **Sessions.** Click this shortcut to view the list of users currently connected to your control panel and have a chance to disconnect them. The control panel allows concurrent sessions, and if you are collaborating with someone on managing your mail account, you can see if that user is currently logged in to the control panel, how long he or she has been there, and how much time the user spent in the control panel without performing any actions.
- **Log out.** Click this shortcut to log out of control panel when finished working.
- **Help Desk.** This is where you can report your problems to your provider.
- **Help.** Click this shortcut to open the online help.

Below the **Help** icon there is a context help tip area, which gives you brief descriptions of operations you can perform on the control panel screens. When you place the mouse pointer over an icon or another control panel element, the context help tip provides additional information.

The main work area is located on your right. The **Info** group shows the information on services currently used on your mail account. An icon shown in color indicates that the service is activated, and a grayed out icon indicates that the service is not activated. The icons in the **Info** group correspond to the icons located in the **Tools** group and they are clickable, so, for example, when you need to set up an automatic response, you can click either the **Autoresponders** icon in the **Info** group or the **Autoresponders** icon in the **Tools** group.

The **Tools** group provides the shortcuts to the following functions:

- **Preferences.** Change your password for access to control panel and your mailbox. Select a desired interface language and theme (skin).
- **Permissions.** See what actions are allowed for you to do by your service provider.
- **Mailbox.** Switch off the mailbox function, if you do not need a mailbox on this account. You would want to do this, for example, if you are using this e-mail address as an e-mail forwarder and would not like the mail system to leave the copies of forwarded messages on the server. Switch the server-side spam filtering (provided by SpamAssassin software) on or off.

- **Redirect.** Set up mail forwarding to another e-mail address.
- **Mail Group.** Set up mail forwarding to multiple e-mail addresses. You can use this function as a simple mailing list.
- **Groups.** View the mailing lists to which you are subscribed.
- **Autoresponders.** Set up automatic responses.
- **Spam Filter.** Set up spam filtering for your mailbox, and improve spam filter accuracy by teaching the spam filter on messages in your mailbox.
- **Dr.Web.** Set up antivirus protection for your mailbox.
- **WebMail.** Read your mail and compose new messages with Horde web mail application.

The **Mail aliases** group at the bottom of the screen shows additional e-mail addresses associated with your mail account: you can have a number of alternative e-mail addresses that will point to your mail account. These e-mail aliases can be used as disposable e-mail addresses.

For example, you have a primary e-mail address your.name@example.com and one disposable e-mail alias nickname@example.com, which points to your mailbox at the primary address your.name@example.com. When you, say, register on a forum, you specify your e-mail alias nickname@example.com, which can be used to contact you and may be visible to other users. Once you start receiving junk mail, ask your provider or server administrator to remove that alias and create a new one: this way you stop spam without losing your primary e-mail address your.name@example.com.

Note: You cannot create and remove e-mail aliases from your control panel. Refer to your provider or server administrator when you need to have an e-mail alias.

Setting Your Control Panel Language and Theme

To select an interface language and theme (skin) for your control panel:

- 1 On your Home page, click  Preferences in the Tools group.
- 2 Select the desired interface language and skin from the respective drop-down lists.
- 3 If labels of interface icons and buttons appear too long and overlap in your control panel, you can limit the number of symbols that will fit on the buttons. To do this, type the desired value in the **Button label length** box.
- 4 To disallow concurrent sessions in your control panel, deselect the **Allow multiple sessions** check box.
- 5 To avoid errors that can happen when you attempt to perform an operation on the screen while interface scripts have not completely loaded, leave the **Prevent working with Plesk until page is completely loaded** option selected.
- 6 Click OK.

Changing Your Password

To change your password for access to control panel and mailbox (if you have it):

- 1 On your Home page, click  Preferences in the Tools group.
- 2 Type the new password into the **New password** and **Confirm password** boxes.
- 3 Click **OK**.

If You Forgot Your Password

If you forgot your password:

- 1 In your web browser's address bar, type the URL where your Plesk control panel is located. For example, <https://domain.com:8443>.
- 2 Press **ENTER**.
Plesk login screen will open.
- 3 Click the **Forgot your password?** link.
- 4 Type your e-mail address into the **Login** and **E-mail** boxes.
- 5 Click **OK**.
Your password will be sent to your e-mail address.

CHAPTER 3

Setting Up a Mailbox

It is likely that your provider has already set up a mailbox on your account. If you are going to use your mail account as a mail forwarder or mailing list, you are recommended to switch off the mailbox service: a mailbox keeps all incoming messages and messages are not removed automatically after being forwarded. Therefore, if you choose to have the "mailbox + mail forwarder" configuration on your account, be sure to clean up the mailbox from time to time.

To set up a mailbox:

- 1 On your Home page, click  Mailbox in the Tools group.
- 2 Select the Mailbox check box.
- 3 Click OK.

Now your mailbox is created.

To receive and send e-mail through your mailbox, set up an e-mail program of your choice on your computer (see [Setting Up Your E-mail Program for Retrieving Mail from Your Mailbox](#) (on page 19)), or use a browser based Web mail interface (see [Accessing Your Mail from a Web Browser](#) (on page 21)). Credentials for accessing your mailbox are your e-mail address and password that you use for logging in to your control panel.

To change your password, proceed to the section [Changing Your Password](#) (on page 11).

To set up and configure your spam filter, proceed to the chapter [Protecting Your Mailbox from Spam](#) (on page 14).

To set up and configure anti-virus protection, proceed to the chapter [Protecting Your Mailbox from Viruses](#) (on page 18).

To set up an e-mail forwarder that will forward mail to another e-mail address, proceed to the chapter [Setting Up an E-mail Forwarder](#).

To set up an e-mail forwarder to multiple recipients or to use your mail account as a mailing list, proceed to the chapter [Setting Up a Mailing List](#) (on page 24).

To set up an automatic response, such as "on vacation" or "out of office" notice, proceed to the chapter [Setting Up an Automatic Reply](#) (on page 26).

CHAPTER 4

Removing the Mailbox Service

To remove the mailbox service from your account discarding all messages in your mailbox:

- 1 On your Home page, click  Mailbox in the Tools group.
- 2 Clear the Mailbox checkbox.
- 3 Click OK.

CHAPTER 5

Protecting Your Mailbox from Spam

In This Chapter

Switching on Spam Filter.....	15
Configuring the Spam Filter.....	15
Improving Accuracy of Spam Detection.....	17
Switching off Spam Filter	17

Switching on Spam Filter

To switch on spam filtering:

- 1 On your Home page, click  Mailbox in the Tools group.
- 2 Select the **Enable spam filtering** checkbox and click **OK**.

Now all the incoming mail will be filtered on the server side. By default, spam filter does not delete spam mail, it only adds the “X-Spam-Flag: YES” and “X-Spam-Status: Yes” headers to the message, and “*****SPAM*****” text string to the beginning of Subject line of each message recognized as spam. These settings are fine if you prefer to filter mail with a filtering program installed on your local computer – once mail has been retrieved from your mailbox.

If you rely entirely on the spam filter installed on the server, you may configure it so as to automatically delete the suspicious messages as they come. To configure the spam filter, follow the instructions below.

Configuring the Spam Filter

To configure the spam filter:

- 1 On your Home page, click  Spam Filter in the Tools group.
- 2 Configure the following settings as desired:
 - **Enable spam filtering.** Select this option to enable spam filtering.
 - **Use server wide settings.** Select this option if your provider or server administrator has prepared black and/or white lists of e-mail addresses that you would like to use together with your own restrictions. Black list, shown under **Black list** group, includes e-mail addresses of spammers, and white list, shown under **White list** group, includes e-mail addresses of trustworthy correspondents or entities. If the **Use server wide settings** checkbox is grayed out, i.e. not selectable, this means that there are no preconfigured spam filter settings on the server.
 - **Hits required for spam.** This setting adjusts spam filter sensitivity. SpamAssassin performs a number of different tests on contents and subject line of each message. As a result, each message scores a number of points. The higher the number, the more likely a message is spam. For example, a message containing the text string “BUY VIAGRA AT LOW PRICE!!!” in Subject line and message body scores 8.3 points. By default, the filter sensitivity is set so that all messages that score 7 or more points are classified as spam.
 - If you receive lots of spam messages with the current setting, to make filter more sensitive, try setting a lesser value in the **Hits required for spam** box; for example, 6.
 - If you are missing your e-mails because your spam filter thinks they are junk, try reducing filter sensitivity by setting a higher value in the **Hits required for spam** box.

Note: To further improve spam filter accuracy, you may want to train your spam filter on e-mail messages you receive (see the section *Improving Accuracy of Spam Detection* (on page 17) for instructions).

- **What to do with spam mail.** If you are sure that your spam filter is accurate, you may want to set the filter to automatically delete all incoming messages recognized as spam. To do this, select the **Delete** option. If you wish to filter mail with the software on your local computer, select the **Mark as spam and store in mailbox** option, and then specify how spam filter should mark the messages recognized as spam. “X-Spam-Flag: YES” and “X-Spam-Status: Yes” headers are added to the message source by default, and if you want, the spam filter will also include a specific text string to the beginning of Subject line.
 - **Modify spam mail subject.** To help you filter out the messages identified as spam, tell spam filter to add a certain text to spam message subject. To do this, select the **Modify spam mail subject** checkbox. Enter your text into the **by tag** field if you wish to change the default tag. Note that even if this checkbox is not selected, a header "X-Spam: Yes" will be added to the headers of any mail message recognized as spam.
 - **Spam detection alert text.** For a specific spam warning text to appear in a body of a spam letter, enter it into the **Spam detection alert text** field.
- 3** To save your changes, click **OK**.
- 4** If you do not want to receive e-mail from specific senders, add their e-mail addresses to the spam filter’s black list.
- To add an entry to the black list, on the **Black list** tab, type an e-mail address into the **E-mail pattern** box. For example: [address@spammers.net](#), [*@spammers.net](#). An asterisk (*) means any combination of symbols. Click **Add**.
 - To remove an entry from the black list, select it and click **Remove**.
- 5** If you want to be sure that you will not miss e-mail from specific senders, add their e-mail addresses to the spam filter’s white list.
- To add an entry to the white list, on the **White list** tab, type an e-mail address into the **E-mail pattern** box. For example: [address@mycompany.com](#), [*@mycompany.com](#). An asterisk (*) means any combination of symbols. Click **Add**.
 - To remove an entry from the white list, select it and click **Remove**.

Improving Accuracy of Spam Detection

You can improve accuracy of spam detection by training the spam filter on the e-mail messages that you have in your mailbox.

To improve accuracy of spam detection:

- 1 On your Home page, click  Spam Filter in the Tools group.
- 2 Click  Training in the Tools group.

All e-mail messages you have in your mailbox are presented on the screen. Each message is accompanied by an icon in the left column, which tells if a message is recognized as spam - , non-spam - , or not recognized at all - . If you have already trained your spam filter on a message and the results were recorded in the spam filter's database, an icon  is shown in the right column.

- 3 Train the spam filter.

In most cases, you can tell if a message is spam by looking at its subject line and sender's name. If they do not give you any clue, try looking inside the message using your e-mail program or Webmail interface (Home > WebMail).

- To mark a message as spam, select the corresponding checkbox and click 'It's Spam!'.
 - To mark a message as not spam, select the corresponding checkbox and click 'It's Not Spam!'.
 - To remove any information on a given message from the spam filter database, select the corresponding checkbox and click 'Forget It'.
- 4 Once finished with training, you can remove spam e-mails from your mailbox using your e-mail program or Webmail interface.

If you have accidentally made your spam filter learn a great number of spam e-mails as non-spam or vice versa, your spam filter will likely produce incorrect results. In this case, clear the spam filter's database and then repeat training.

Switching off Spam Filter

To switch off spam filtering:

- 1 On your Home page, click  Mailbox in the Tools group.
- 2 Clear the Enable spam filtering checkbox, and click OK.

CHAPTER 6

Protecting Your Mailbox from Viruses

To defend your system from viruses, do not open suspicious e-mail attachments, enable anti-virus protection on the server side, if this service is provided by your hosting company, and be sure to have a firewall and anti-virus software installed on your personal computer. Also keep your operating system up-to-date and timely install security hot fixes and patches.

CHAPTER 7

Setting Up Your E-mail Program for Retrieving Mail from Your Mailbox

To set up Microsoft Outlook Express:

- 1 Open Microsoft Outlook Express.
- 2 Go to **Tools > Accounts**.
- 3 Click the **Mail** tab to open a list of your mail accounts.
- 4 Click the **Add >** button and select the **Mail ...** item.
- 5 Enter your name as you want it to appear in any messages you send, and click **Next >**.
- 6 Type your e-mail address and click **Next >**.
- 7 Select the protocol of your incoming mail server.

Although Plesk supports both POP3 and IMAP protocols, we recommend that you select IMAP because this leaves your e-mail on the mail server so that it can later be accessed from other locations and by other methods, for example, browser based Webmail.

- 8 Specify the mail domain name as the incoming and outgoing mail server (for example: mail.your-domain.com), and click **Next >**.
- 9 Type your e-mail address in the **Account name** box (for example: your.name@your-domain.com).
- 10 Type your password.
- 11 Leave the **Remember password** box checked, if you do not wish to be prompted to enter password each time your e-mail program connects to the mail server to check for new mail, and click **Next >**.
- 12 To complete setting up your e-mail program, click **Finish**.

To set up Mozilla Thunderbird:

- 1 Open Mozilla Thunderbird.
- 2 Go to **Tools > Account Settings...**
- 3 Click **Add Account**. The **Account Wizard** will open.
- 4 Leave the **Email account** option selected, and click **Next >**.
- 5 Enter your name as you want it to appear in any messages you send.
- 6 Type your e-mail address.
For example, your.name@your-domain.com. Click **Next >**.
- 7 Select the protocol of your incoming mail server.

Although Plesk supports both POP3 and IMAP protocols, we recommend that you select IMAP because this leaves your e-mail on the mail server so that it can later be accessed from other locations and by other methods, for example, browser based Webmail.

- 8** Specify the mail domain name as the incoming and outgoing mail server (for example: mail.your-domain.com), and click **Next >**.
- 9** In the Incoming User Name box, specify your full e-mail address (for example, [your.name@your-domain.com](#)), and click **Next >**.
- 10** Enter the name by which you would like to refer to this account (for example, Work Account) and click **Next >**.
- 11** Verify that the information you entered is correct, and click **Finish**.
- 12** Click **OK** to close the Account Settings wizard.

CHAPTER 8

Accessing Your Mail from a Web Browser

You can read your mail and compose new messages even if you are far from your home or office computer. Find a computer with Internet connection, for example, in an Internet cafe, and do any of the following:

- Open a web browser, and type the URL: <http://webmail.mail-domain.com>, where mail-domain.com is the name of your mail domain (that is the part of your e-mail address to the right of the @ sign). Press ENTER. A login screen will open. Type your e-mail address and password, and click **Log in**.
- Open a web browser and type the URL to access your Plesk control panel, for example: <https://domain.com:8443>. Press ENTER. Log in to Plesk, and click the  WebMail icon in the **Tools** group. A login screen will open and your user name will be prefilled. Type your password and click **Log in**.

CHAPTER 9

Setting Up an E-mail Forwarder

In This Chapter

Using a Forwarder together with Your Mailbox	22
Turning Your Mail Account into a Mail Forwarder without Mailbox	23
Switching off Mail Forwarding	23

Using a Forwarder together with Your Mailbox

To add mail forwarding service to your mail account (messages will be processed by anti-virus and spam filter, kept in your mailbox, and their copies will be forwarded to the specified address):

- 1 On your Home page, click the  Mailbox icon in the Tools group.
- 2 Make sure that the Mailbox checkbox is selected.
Without a mailbox, you will not be able to apply anti-virus and spam filtering.
- 3 Click OK.
- 4 Click the  Redirect icon in the Tools group.
- 5 Select the Redirect checkbox.
- 6 Type the destination e-mail address to which you would like to forward e-mail.
- 7 Click OK.

Note: You will need to clean up the contents of your mailbox from time to time: messages are not deleted automatically after forwarding.

Turning Your Mail Account into a Mail Forwarder without Mailbox

To turn your mail account into a mail forwarder that will forward messages without keeping them on the server:

- 1 On your Home page, click the  Mailbox icon in the Tools group.
- 2 Make sure that the Mailbox checkbox is not selected.
- 3 Click OK.
- 4 Click the  Redirect icon in the Tools group.
- 5 Select the Redirect checkbox.
- 6 Type the destination e-mail address to which you would like to forward e-mail.
- 7 Click OK.

Switching off Mail Forwarding

To switch off the mail forwarding service:

- 1 On your Home page, click the  Redirect icon in the Tools group.
- 2 Clear the Redirect checkbox and click OK.

CHAPTER 10

Setting Up a Mailing List

To use your mail account as a mailing list:

- 1 On your Home page, click the  Mail Group icon in the Tools group.
- 2 Click  Add New Member.
- 3 Type the e-mail address you need.
- 4 Click OK.
- 5 Repeat the steps from 2 to 4 to add as many e-mail addresses as needed.
- 6 Click the  Enable icon in the Tools group.

In This Chapter

Subscribing Users to Your Mailing List	24
Unsubscribing Users from Your Mailing List.....	25
Switching off the Mailing List Service	25

Subscribing Users to Your Mailing List

To subscribe users to the mailing list:

- 1 On your Home page, click the  Mail Group icon in the Tools group.
- 2 Click  Add New Member.
- 3 Type the e-mail address you need.
- 4 Click OK.

Unsubscribing Users from Your Mailing List

To unsubscribe users from the mailing list:

- 1 On your Home page, click the  Mail Group icon in the Tools group.
- 2 Select the checkbox corresponding to the e-mail address you wish to unsubscribe.
- 3 Click Remove Selected. Confirm the operation and click OK.

Switching off the Mailing List Service

To switch off the mailing list service:

- 1 On your Home page, click the  Mail Group icon in the Tools group.
- 2 Click the  Disable icon in the Tools group.

Setting Up an Automatic Reply

If you are going on vacation and will not be able to check your mail for a while, you may want to leave a vacation notice that will be automatically sent to your correspondents once they send e-mail to your address. This is done with automatic reply facility, also referred to as autoresponder. Aside from vacation notices, organizations can use automatic replies to notify customers that their orders or technical support requests were received and will soon be processed. Automatic replies can include prewritten messages in plain text or HTML format, and they can contain attached files as well.

To set up an automatic reply for your mailbox:

- 1 On your Home page, click the  **Autoresponders** icon in the Tools group.
- 2 If you are not going to attach any files to the automatic reply, proceed to the step 3. To attach a file to the automatic reply:
 1. Click the  **Attachment Files** icon in the Tools group.
 2. Click **Browse** to locate the file, and once selected, click **Send File**.

The file will be added to the attachment files storage, and you will be able to attach this file to a number of different automatic replies.
 3. Once finished, click  **Up Level** and proceed to the next step.
- 3 Click the  **Add New Autoresponder** icon in the Tools group.
- 4 Configure the automatic reply:
 1. Type a name for this automatic reply into the **Autoresponder name** box.

For example, 'Vacation notice'.
 2. If you want this automatic reply to be sent in reply to any incoming e-mail message, in the **Request** group, leave the **always respond** option selected. If you wish to automatically reply only to e-mail messages that contain specific words in the message text or subject line, select the appropriate option, and type the word combination in the **Request text** input box.
 3. By default, the subject line of incoming e-mail will be inserted into the automated reply. To use a custom subject, type it into the **Answer with subject** subject input box.

4. As your correspondents may not figure out that the message they received from you was an automatic response, they may want to respond to your auto-reply. So, you should specify your e-mail address as the **Return address**, otherwise, their messages will be directed at the autoresponder's address.
 5. Type your message in the **Reply with text** field.
 6. To limit the number of automated responses per day to the same e-mail address, enter the desired number in the **Reply to unique e-mail address not more than** input box under **Limits**.
The default setting is to respond no more than ten times in one day to the same e-mail address.
 7. To reduce mail server load, you may want to limit the number of unique addresses that the autoresponder will remember. To do this, enter the desired number into the **Store up to** box.
 8. If you want your incoming mail to be forwarded to another e-mail address while you are away, specify an e-mail address in the **Forward request to e-mail** box.
 9. Attach your files, if needed. To do this, click the **Add New Attachment** button, select the check box corresponding to the file that you previously uploaded to the attachment storage, and click **OK**. To remove an attached file from the automatic reply, select the corresponding checkbox, and click **✗ Remove Selected**.
- 5 Click **OK**.
 - 6 Click the  **Enable** icon in the **Tools** group.

In This Chapter

Switching off Automatic Reply	28
Deleting an Automatic Reply Template That You No Longer Need.....	28

Switching off Automatic Reply

To switch off an automatic reply:

- 1 On your Home page, click the  Autoresponders icon in the Tools group.
- 2 Click the  Disable icon.

The automatic reply is now switched off. Its settings are saved in the control panel as a reusable template, so the next time you need to use this automatic reply, repeat the above procedure,

clicking  Enable on the last step.

Deleting an Automatic Reply Template That You No Longer Need

To delete an automatic reply configuration that you no longer need:

- 1 On your Home page, click the  Autoresponders icon in the Tools group.
- 2 Select a checkbox corresponding to the configuration name, and click  Remove Selected.

Monitoring Connections to Your Control Panel

To find out who is logged in to your control panel at the moment:

- 1 Click the **Sessions** shortcut in the navigation pane. All sessions including yours will be presented and the following details will be displayed:
 - **Type.** A type of control panel user who established the session:  for mailbox owner.
 - **Login.** The login name the user is logged in as.
 - **IP address.** The IP address from which the control panel is accessed.
 - **Logon time.** The date and time when the user logged in to the control panel.
 - **Idle time.** The time that user was not doing anything in the control panel while being logged in.
- 2 To refresh the list of user sessions, click the  Refresh icon.
- 3 To end a user session, select the respective checkbox and click  Remove Selected, then confirm removal and click OK.

CHAPTER 13

Using Help Desk to Request Assistance From Your Provider

If your service provider offers the Help Desk solution integrated with the control panel, then you can use it to report your problems to your provider's technical support staff.

In This Chapter

Submitting a Problem Report to Your Provider.....	30
Posting a Comment to Your Problem Report.....	30
Closing the Ticket When Your Problem is Resolved	31

Submitting a Problem Report to Your Provider

To submit a problem report to your service provider:

- 1 Click the **Help Desk** shortcut in the navigation pane.
- 2 Click the  **Add New Ticket** icon in the **Tools** group.
- 3 Type the ticket subject, select the category the issue is related to, and type in the problem description.
- 4 Click **OK**.

The ticket is now submitted to the system and sent to your provider. You will be notified by e-mail when the issue is resolved.

Posting a Comment to Your Problem Report

To post a comment to your problem report:

- 1 Click the **Help Desk** shortcut in the navigation pane.
- 2 Locate the ticket you need and click its subject or identification number.
- 3 Select the **Comment** ticket option from the **Ticket Event** drop-down box, and type your comment into the **New Comment** input field.
- 4 Click **OK** to submit.

Closing the Ticket When Your Problem is Resolved

To close a ticket:

- 1 Click the **Help Desk** shortcut in the navigation pane.
- 2 Locate the ticket you need and click its subject or identification number.
- 3 Select the **Close ticket** option from the **Ticket Event** drop-down box, and type your comment into the **New Comment** input field, if required.
- 4 Click **OK** to submit.